- If you are viewing this course as a recorded course after the live webinar, you can use the scroll bar at the bottom of the player window to pause and navigate the course.
- This handout is for reference only. Nonessential images have been removed for your convenience. Any links included in the handout are current at the time of the live webinar, but are subject to change and may not be current at a later date.

continued

No part of the materials available through the continued.com site may be copied, photocopied, reproduced, translated or reduced to any electronic medium or machine-readable form, in whole or in part, without prior written consent of continued.com, LLC. Any other reproduction in any form without such written permission is prohibited. All materials contained on this site are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast without the prior written permission of continued.com, LLC. Users must not access or use for any commercial purposes any part of the site or any services or materials available through the site.



Technical issues with the Recording?

- Clear browser cache using these instructions
- Switch to another browser
- Use a hardwired Internet connection
- Restart your computer/device

Still having issues?

- Call 866-782-9924 (M-F, 8 AM-8 PM ET)
- Email <u>customerservice@OccupationalTherapy.com</u>





Cubital Tunnel Syndrome

Marie Pace, OTR/L, CHT

continueD

Learning Outcomes

- As a result of this course, participants will be able to:
- 1) Describe diagnostic criteria for cubital tunnel syndrome
- 2) Delineate conservative measures to control symptoms
- 3) Identify appropriate therapy protocols following surgery to release the cubital tunnel






Introduction to Cubital Tunnel Syndrome

Definition: Compression of the ulnar nerve at the elbow causing numbness and tingling in the ring and small fingers of the hand.

- Motor involvement occurs in more severe cases of nerve compression.
- The sensory deficits can be position dependent





Types of Nerve Injuries


- Neuropraxia localized pressure on the nerve (symptoms are reversible)
- Axonotmesis neural tube is intact, but the axon is damaged (longer healing time with possibility of residual deficits)
- Neurontomesis neural tube and axons disrupted (if nerve ends are surgically approximated, axon can recover)


continued¹

Kinds of Sensation

- Deep pain
- Vibration (tuning forks)
- Hot/cold
- 2 point discrimination
- Moving touch
- Light touch









Motor Innervations of the Ulnar n.

- In the forearm:
 - FCU
 - FDP to ring and small
- In the hand:
 - Hypothenar muscles (opponens digiti minimi, flexor digiti minimi, and abductor digiti minimi)
 - Both interossei (palmer and dorsal)
 - Lumbricals of ring and small
 - Adductor pollicis
 - Flexor pollicis brevis

continued

Special tests

- Elbow flexion test 30 seconds to one minute with the elbow fully flexed (Wadsworth sign)
 - Positive test is tingling in the ring and small finger to increase
- Tinel's using a finger tip to percuss over the ulnar nerve as it exits the elbow
 - Positive test is a "zinging" sensation from elbow to hand



Special tests

- Hand posture in weak Claw Hand position
- Lumbrical MMT intrinsic plus
- Index finger to thumb adduction MMT of adductor pollicis (Semple's test)

Froment's sign



Normal

Abnormal

Standardized tests

- Semmes Weinstein monofilament
- 2 point discrimination
- Grip strength
- Lateral pinch
- Tripod pinch
- AROM in flexion and extension and ABD/adduction of digits
- 9-hole peg test of fine motor coordination


continued

Differential diagnosis


- Compression in Guyon's canal
- Compression at hook of the hamate
- Cervical spine or brachial plexus compression




Claw hand White the second of the second of











Causes of Cubital Tunnel Syndrome

- Continuous positioning with elbow flexed
- Direct Pressure (bumping or leaning on elbow)
- Hypertrophy of flexor/pronator muscle groups
- Subluxation of Ulnar nerve on medial epicondyle

Cubital Tunnel Syndrome

HUMERUS

PINCHED ULNER
NERVE

O2019 continued.com, LLC



Conservative Treatment

- Prevent prolonged elbow flexion in daily activity
 - Headset for phone
 - Elbow extension orthosis for night (30-60°)
- Wear an elbow pad
- Stretch the wrist flexors and pronator
- Ulnar nerve glides

continueD

Cubital Tunnel Orthoses







Surgical Management

- In Situ decompression: Releasing the soft tissue holding the ulnar nerve in the cubital tunnel of the elbow
- Anterior Transposition: The nerve is moved out of the cubital tunnel so that the tension on it is reduced
- Submuscular Transposition: The nerve is placed under the flexor/pronator muscle groups ... in this case the muscles will have been cut and resisted pronation/wrist and digit flexion should not be performed strenuously too early.

continueD

Special Considerations after Surgery

- Sensory and motor deficits tested
- MMT of all potentially affected muscles
- "Turkey hand" picture is helpful for measuring progress of abduction
- Padded protection of elbow
- Activity modification to avoid prolonged tension
- Treatment of edema around surgical area with ultrasound or low level laser



Treatment of Deficits

- Strengthening of each of the muscle groups
- Desensitization/sensory re-education
- Scar management
- Motor coordination
- Nerve glide and tolerance for tension

continueD

Strengthening

- Pinch: pinch pins, putty/clay shaping, pick-up of small objects
- Finger abd/add: opening bands, spreading tissue, digging in rice
- Finger flexion: squeezing, gripping and holding tools (stirring, hammering, screw driver, scrubbing)



continueD

Desensitization

- Brushing over scar with soft cloth and lotion massage
- Digging hand into rice, beans, seeds
- Manipulating different texture objects with eyes closed
- Graded motor imagery

continued

Scar Management

- Scar massage with lotion
- Scar mobilization for adhesions
- Scar therapy pads
- Light compression



Motor coordination

- Penny pick-up and in hand manipulation
- Finger fitness spheres
- Finger spelling in sign language
- Buttoning
- Tying

continued

Finger fitness





Nerve Gliding

- Normal anatomy: elbow extension to flexion with supination, neutral wrist and shoulder abducted to 90°
- After volar transposition: wrist flexion and extension in supination, elbow extension and shoulder abduction to 90°

continued

Ulnar Nerve Tension

- Lateral flexion of the head away from the target UE
- Shoulder external rotation and abduction
- Elbow flexion and pronation
- Wrist and finger extension





References:

- Assmus, H., Antoniadis, G., Bischoff, C., Hoffmann, R., Martini, A., Preißler, P., . . . Wüstner-Hofmann, M. (2011). Cubital Tunnel Syndrome A Review and Management Guidelines. Central European Neurosurgery, 72(02), 90-98. doi:10.1055/s-0031-1271800
- Basson, A., Olivier, B., Ellis, R., Coppieters, M., Stewart, A., & Mudzi, W. (2017). The effectiveness of neural mobilization for neuromusculoskeletal conditions: A systematic review and meta-analysis. Journal of Orthopedic Sports Physical Therapy, 47(9), 593-615. doi:10.2519/jospt.2017.7117
- Bongi, S. M., Signorini, M., Bassetti, M., Rosso, A. D., Orlandi, M., & Scisciolo, G. D. (2012). A manual therapy intervention improves symptoms in patients with carpal tunnel syndrome: A pilot study. Rheumatology International, 33(5), 1233-1241. doi:10.1007/s00296-012-2507-0
- Chimenti, P. C., & Hammert, W. C. (2013). Ulnar Neuropathy at the Elbow. Hand Clinics, 29(3), 435-442. doi:10.1016/j.hcl.2013.04.013
- Darowish, M., & Sharma, J. (2014). Evaluation and Treatment of Chronic Hand Conditions. Medical Clinics of North America, 98(4), 801-815. doi:10.1016/j.mcna.2014.03.006



References:

- Fadel, M., Lancigu, R., Raimbeau, G., Roquelaure, Y., & Descatha A. Occupational prognosis factors for ulnar nerve entrapment at the elbow: A systematic review.
- Hand Surg Rehabil., 36(4):244-249. doi: 10.1016/j.hansur.2017.03.004.
- Göransson, I., & Cederlund, R. (2010). A study of the effect of desensitization on hyperaesthesia in the hand and upper extremity after injury or surgery. Hand Therapy, 16(1), 12-18. doi:10.1258/ht. 2010.010023
- Huisstede, B. M., Hoogvliet, P., Randsdorp, M. S., Glerum, S., Middelkoop, M. V., & Koes, B. W. (2010). Carpal Tunnel Syndrome. Part I: Effectiveness of Nonsurgical Treatments—A Systematic Review. Archives of Physical Medicine and Rehabilitation, 91(7), 981-1004. doi:10.1016/j.apmr. 2010.03.022
- Macadam, S. A., Bezuhly, M., & Lefaivre, K. A. (2009). Outcomes Measures Used to Assess Results
 After Surgery for Cubital Tunnel Syndrome: A Systematic Review of the Literature. The Journal of Hand
 Surgery, 34(8). doi:10.1016/j.jhsa.2009.05.010
- Madenci, E., Altindag, O., Koca, I., Yilmaz, M., & Gur, A. (2011). Reliability and efficacy of the new massage technique on





References:

- Mckeon, J. M., & Yancosek, K. E. (2008). Neural Gliding Techniques for the Treatment of Carpal Tunnel Syndrome: A Systematic Review. *Journal of Sport Rehabilitation*, 17(3), 324-341. doi:10.1123/jsr. 17.3.324
- Miller, L. K., Chester, R., & Jerosch-Herold, C. (2012). Effects of Sensory Reeducation Programs on Functional Hand Sensibility after Median and Ulnar Repair: A Systematic Review. *Journal of Hand Therapy*, 25(3), 297-307. doi:10.1016/j.jht.2012.04.001
- Mowlavi, A., Andrews, K., Lille, S., Verhulst, S., Zook, E. G., & Milner, S. (2000). The Management of Cubital Tunnel Syndrome: A Meta-Analysis of Clinical Studies. *Plastic & Reconstructive Surgery*, 106(2), 327-334. doi:10.1097/00006534-200008000-00014
- Ozkan, F. U., Saygı, E. K., Senol, S., Kapcı, S., Aydeniz, B., Aktaş, I., & Gozke, E. (2014). New treatment alternatives in the ulnar neuropathy at the elbow: Ultrasound and low-level laser therapy. Acta Neurologica Belgica, 115(3), 355-360. doi:10.1007/s13760-014-0377-9
- Rinkel, W. D., Schreuders, T. A., Koes, B. W., & Huisstede, B. M. (2013). Current Evidence for Effectiveness of Interventions for Cubital Tunnel Syndrome, Radial Tunnel Syndrome, Instability, or Bursitis of the Elbow. *The Clinical Journal of Pain*, 29(12), 1087-1096. doi:10.1097/ajp. 0b013e31828b8e7d



References:

- Santosa, K. B., Chung, K. C., & Waljee, J. F. (2015). Complications of Compressive Neuropathy. Hand Clinics, 31(2), 139-149. doi:10.1016/j.hcl.2015.01.012
- Shah, C. M., Calfee, R. P., Gelberman, R. H., & Goldfarb, C. A. (2013). Outcomes of Rigid Night Splinting and Activity Modification in the Treatment of Cubital Tunnel Syndrome. The Journal of Hand Surgery, 38(6). doi:10.1016/j.jhsa.2013.02.039
- Svernlöv, B., Larsson, M., Rehn, K., & Adolfsson, L. (2009). Conservative Treatment of the Cubital Tunnel Syndrome. *Journal of Hand Surgery (European Volume)*, 34(2), 201-207. doi: 10.1177/1753193408098480
- Toirac, A., Giugale, J. M., & Fowler, J. R. (2016). Open Versus Endoscopic Cubital Tunnel In Situ Decompression: A Systematic Review of Outcomes and Complications. *Hand*, 12(3), 229-235. doi: 10.1177/1558944716662018



Questions?

■ Email: pacemu@upmc.edu

